

EXHIBIT 1 : SUMMARY OF SONA HILL AND WYNAMU HILL DRILL GOLD INTERCEPTS

SONA HILL DRILL INTERCEPTS

Hole-ID	From	To	Length	Weighted Gold Grade Average
SOD043	0.0	3.0	3.0	7.82
SOD044	52.0	58.9	6.9	1.85
<i>incl.</i>	53.0	56.3	3.2	3.21
SOD046	76.6	85.2	8.6	4.05
<i>incl.</i>	76.6	77.3	0.7	13.90
<i>incl.</i>	78.4	79.4	0.9	8.73
<i>incl.</i>	80.8	82.3	1.5	8.19
SOD047	3.5	9.5	6.0	2.07
<i>incl.</i>	3.5	5.0	1.5	6.25
SOD048	139.5	145.1	5.6	1.53
SOD051	0.0	2.6	2.6	5.30
<i>incl.</i>	1.7	2.6	0.9	10.90
SOD054	96.3	98.6	2.3	16.62
SOD055	0.0	9.5	9.5	1.58
SOD056	0.0	8.0	8.0	2.17
<i>incl.</i>	0.0	2.0	2.0	3.00
<i>incl.</i>	6.5	8.0	1.5	6.00
SOD057	44.0	50.0	6.0	5.91
<i>incl.</i>	44.0	45.2	1.2	4.93
<i>incl.</i>	47.3	48.5	1.2	6.59
<i>incl.</i>	48.5	50.0	1.5	14.10
SOD058	47.0	57.3	10.3	1.05
<i>incl.</i>	52.7	54.2	1.5	1.85
SOD058	64.6	95.0	30.4	3.56
<i>incl.</i>	73.6	83.0	9.4	9.85
SOD060	0.0	2.0	2.0	6.28
SOD060	71.0	74.0	3.0	3.32
SOD061	0.0	17.0	17.0	1.52
<i>incl.</i>	0.0	2.0	2.0	4.41
<i>incl.</i>	11.0	12.5	1.5	3.43
SOD061	21.5	32.0	10.5	1.30
<i>incl.</i>	26.0	27.5	1.5	5.99
SOD061	41.0	44.0	3.0	2.61
SOD062	30.5	34.0	3.5	1.82
SOD062	74.0	79.0	5.0	3.56
<i>incl.</i>	74.0	75.5	1.5	5.96
<i>incl.</i>	78.0	79.0	1.0	7.89
SOD063	26.0	30.5	4.5	2.06
SOD063	98.0	105.5	7.5	1.86
SOD064	20.0	29.0	9.0	1.42
<i>incl.</i>	27.4	29.0	1.6	5.48
SOD064	69.5	73.4	3.9	6.40
<i>incl.</i>	70.6	71.8	1.2	7.54
<i>incl.</i>	71.8	73.4	1.5	7.50
SOD065	0.0	8.3	8.3	1.87
<i>incl.</i>	5.0	6.7	1.7	3.28
<i>incl.</i>	6.7	8.3	1.6	4.85
SOD065	15.5	27.2	11.7	1.31
<i>incl.</i>	26.0	27.2	1.2	4.26
SOD066	48.5	59.0	10.5	2.87
<i>incl.</i>	50.1	51.7	1.6	13.20
<i>incl.</i>	56.0	57.5	1.5	2.14
SOD067	41.0	48.1	7.1	1.26
SOD068	18.5	23.0	4.5	5.11
<i>incl.</i>	20.7	21.9	1.2	13.10
<i>incl.</i>	21.9	23.0	1.1	5.70

EXHIBIT 1 : SUMMARY OF SONA HILL AND WYNAMU HILL DRILL GOLD INTERCEPTS

SONA HILL DRILL INTERCEPTS

Hole-ID	From	To	Length	Weighted Gold Grade Average
SOD068	51.7	56.4	4.7	1.97
SOD068	122.0	129.5	7.5	1.07
SOD069	121.0	125.0	4.0	1.17
SOD070	23.0	27.5	4.5	1.90
incl.	26.0	27.5	1.5	4.63
SOD070	37.4	38.6	1.2	6.41
SOD070	87.4	90.6	3.2	9.54
incl.	87.4	88.7	1.3	21.20
SOD070	108.8	114.6	5.8	1.05
SOD071	69.5	71.0	1.5	12.00
SOD072	0.0	2.0	2.0	3.04
incl.	0.0	0.5	0.5	6.52
SOD072	52.6	53.6	0.9	8.44
SOD072	68.0	69.9	1.9	7.36
incl.	69.1	69.9	0.8	13.90
SOD074	38.0	50.0	12.0	1.13
incl.	47.0	48.5	1.5	4.61
SOD074	57.5	60.5	3.0	11.03
incl.	57.5	59.0	1.5	21.30
SOD081	13.5	27.0	13.5	7.89
incl.	13.5	16.7	3.2	31.14
SOD081	35.2	42.5	7.3	1.37
SOD082	60.5	65.0	4.5	4.23
SOD084	33.5	45.5	12.0	0.90
SOD087	29.0	54.5	25.5	0.81
incl.	41.7	42.5	0.8	3.85
incl.	48.9	54.5	5.6	1.60
SOD088	52.0	59.9	7.9	1.44
incl.	54.9	55.5	0.6	4.39
SOD090	63.0	73.5	10.5	39.56
incl.	63.0	65.2	2.2	16.73
incl.	69.0	72.0	3.0	123.00
SOD091	0.0	11.0	11.0	4.61
incl.	6.5	8.0	1.5	9.53
incl.	9.5	11.0	1.5	15.60
SOD092	0.0	5.5	5.5	1.80
SOD093	35.3	47.0	11.7	1.43
SOD095	22.6	28.1	5.5	3.55
incl.	27.0	28.1	1.1	12.30
SOD095	86.0	90.0	4.0	5.66
incl.	89.0	90.0	1.0	14.80
SOD096	16.0	19.0	3.0	1.93
SOD096	88.4	99.1	10.7	3.57
incl.	88.4	89.9	1.5	14.60
incl.	91.1	92.2	1.1	8.55
SOD097	0.0	6.5	6.5	1.41
incl.	0.0	2.0	2.0	2.12
SOD097	65.3	69.5	4.2	2.92
incl.	65.3	66.5	1.2	6.55
SOD097	73.3	87.9	14.6	3.58
incl.	73.3	74.7	1.4	16.80
incl.	77.0	78.1	1.1	7.81
incl.	78.1	79.1	1.0	10.80
SOD098	0.0	4.0	4.0	4.41
incl.	0.0	1.0	1.0	12.30
SOD098	8.5	13.0	4.5	4.86
incl.	10.0	11.5	1.5	10.80
SOD098	65.3	68.2	2.9	11.59
incl.	65.3	66.7	1.4	22.10
SOD098	75.0	79.5	4.5	2.83
incl.	75.0	76.5	1.5	5.41

EXHIBIT 1 : SUMMARY OF SONA HILL AND WYNAMU HILL DRILL GOLD INTERCEPTS

SONA HILL DRILL INTERCEPTS

Hole-ID	From	To	Length	Weighted Gold Grade Average
SOD099	0.0	3.5	3.5	2.50
SOD099	40.6	45.2	4.6	2.43
SOD099	41.7	43.5	1.8	3.65
SOD099	54.2	54.7	0.5	8.73
SOD099	71.3	72.3	1.0	6.60
SOD100	0.0	28.5	28.5	1.94
<i>incl.</i>	0.0	4.0	4.0	2.45
<i>incl.</i>	7.0	8.5	1.5	15.80
<i>incl.</i>	11.5	13.0	1.5	3.43
<i>incl.</i>	14.5	16.0	1.5	3.36
SOD100	37.5	39.0	1.5	9.98
SOD100	45.0	48.0	3.0	3.11
SOD100	64.5	70.5	6.0	4.80
<i>incl.</i>	67.5	69.0	1.5	12.60
SOD101	62.0	75.5	13.5	1.67
<i>incl.</i>	64.9	66.5	1.6	2.82
<i>incl.</i>	68.0	69.6	1.6	2.72
<i>incl.</i>	71.0	72.5	1.5	5.60
SOD102	0.0	5.5	5.5	1.94
<i>incl.</i>	0.0	1.1	1.1	4.70
SOD102	59.8	61.1	1.3	3.66
SOD106	71.0	75.1	4.1	1.21
SOD106	123.6	126.5	2.9	3.62
<i>incl.</i>	123.6	125.3	1.7	5.89
SOD106	155.0	164.0	9.0	1.35
<i>incl.</i>	155.0	157.6	2.6	3.23
SOD107	159.8	175.5	15.7	2.49
<i>incl.</i>	159.8	169.5	9.7	3.67
<i>incl.</i>	159.8	160.9	1.1	7.24
<i>incl.</i>	163.5	164.0	0.5	15.70
<i>incl.</i>	166.5	168.0	1.5	3.87
<i>incl.</i>	172.5	175.5	3.0	1.13
SOD109	99.0	102.0	3.0	4.91
<i>incl.</i>	99.0	100.5	1.5	9.16

Note : True thickness of the mineralized zones is unknown and is reported as drill hole length

WYNAMU HILL DRILL INTERCEPTS

HOLE ID	FROM	TO	Width (m)	Weighted Gold Grade Average g/t
WYD001	50	57.5	7.5	1.05
<i>incl.</i>	53.32	54.5	1.18	3.00
WYD003	42.5	62	19.5	1.18
<i>incl.</i>	59	60.5	1.5	5.26
<i>incl.</i>	0	0.5	0.5	3.64
WYD004	65	66.5	1.5	8.50
WYD012	66.5	80	13.5	0.84
<i>incl.</i>	75.5	77	1.5	1.93
WYD013	0	21.5	21.5	7.51
<i>incl.</i>	0.5	2	1.5	2.03
<i>incl.</i>	2	3.5	1.5	23.60
<i>incl.</i>	3.5	5	1.5	3.92
<i>incl.</i>	5	6.5	1.5	1.94
<i>incl.</i>	9.5	11	1.5	66.30
<i>incl.</i>	11	12.5	1.5	3.87
WYD014	9.5	12.5	3	4.10
WYD014	32	41	9	1.57
<i>incl.</i>	36.5	38	1.5	5.91
WYD014	75.5	77	1.5	3.45

Note : True thickness of the mineralized zones is unknown and is reported as drill hole length